



Grow Strong™

Cooperator: Glenmary Farms LLC  
 City, State: Rapidan, VA  
 County: Orange

Row Width: 20

Planted date: 5/13/2020  
 Harvested date: 10/16/2020  
 Planting Rate: 33000  
 Drainage: Well drained  
 Tillage: No-Till  
 Soil Texture: Loam  
 Soil Name: Hiwassee

Irrigation: Dryland  
 Prev. Crop: Corn  
 Fungicide: Yes  
 Planter Model: Horsch Maestro SW 2420  
 Pl. Meter Units: Vacuum  
 Harvest Scale: Weigh Wagon

*No cloud-based software used to calculate results. SCALE WEIGHED - SCALE PROVEN*

Plot Entry Order	BRAND	HYBRID	TRAIT Package	RM	Average Moisture	Relative Yield	DRY YIELD @ 15.5%	\$ Income per Acre
1	AXIS	66R25RIB	VT2P	116	22.0	99%	77.6	\$217
2	AXIS	67A23RIB	SSTAX	118	22.8	71%	55.7	\$152
3	AXIS	60H29RIB	VT2P	109	23.9	82%	63.6	\$166
4	AXIS	60D24RIB	VT2P	110	19.5	101%	78.5	\$240
5	AXIS	XP111B20	DGVT2P	111	19.3	110%	86.0	\$264
6	AXIS	XP112B20	DGVT2P	112	21.2	112%	87.0	\$251
7	AXIS	62A28RIB	VT2P	112	21.4	123%	95.9	\$274
8	AXIS	XP112T20	VT2P	112	21.1	76%	59.0	\$171
9	AXIS	63P75RIB	TRE	113	21.6	130%	101.4	\$288
10	AXIS	63M73RIB	TRE	113	22.0	89%	69.5	\$195
11	AXIS	63D28RIB	VT2P	113	20.4	107%	83.3	\$247
12	AXIS	63H27RIB	VT2P	114	21.0	75%	58.4	\$169
13	AXIS	65D28RIB	DGVT2P	115	22.6	122%	95.2	\$261
14	AXIS	65T29	VT2P	115	20.2	104%	80.8	\$241
<b>TEST AVERAGE:</b>					<b>21.4</b>	<b>100%</b>	<b>78.0</b>	<b>\$224</b>

The \$/A column is gross dollars per acre of each entry, based on wet corn at \$3.5 per bushel and using \$0.1 per point discount for harvest moisture over 15.0%.  
 Conv = Conventional non GMO, RR2 = Roundup Ready Corn 2, SS = Smartstax or Smartstax RIB Complete Corn Blend, TRE = Trecepta or Trecepta Complete Corn Blend, VT2P = VT Double Pro or VT Double Pro Complete Corn Blend, DG/VT2P = Droughtgard with VT2P or Droughtgard with VT2P RIB Complete Blend, AM = AcreMax, AM1 = AcreMax 1, AMX = AcreMax Extra, AMXT = AcreMax Extreme, AML = AcreMax Leptra, 3120EZ = Agrisure 3120, 3220 EZ = Agrisure Viptera, 3330EZ = Agrisure Viptera, 5222EZ Agrisure Duracade