



2 0 2 2

SEED

C A T A L O G

CORN LEADER BRANDS

56P78 *TreceptaRIB* 105-107 DAY MATURITY

- Semi-flex ear with strong stalks and roots
- Very good late-season appearance and plant intactness
- Excellent dry down with late-season stay green
- Best on rotated ground

59A25 *VT2PRIB* 108-110 DAY MATURITY

- Consistent yield over all environments and multiple years
- Very good stalks and late-season intactness
- Very good agronomic package
- Performs best at medium to medium-high populations

62A28 *VT2PRIB* 112-114 DAY MATURITY

- Strong multi-year performance over wide area
- Fungicide recommended for late-season standability
- Semi-determinate ear with excellent test weight
- Responds to higher management
- Very good SLB, NLB and good GLS
- Best under irrigation and better well drain soils

63H27 *VT2PRIB* 112-114 DAY MATURITY

- Strong performance on highly productive soils
- Responds well under irrigation
- Strong drought tolerance for dryland acres
- Very good root and stalk ratings
- Good choice for corn on corn

63M73 *TreceptaRIB* 112-114 DAY MATURITY

- Excellent dry down with very good test weight
- Strong yield performance over a very wide geography and all yield environments
- Strong performance on non-irrigated acres
- Best performance on rotated ground

64B28 *VT2PRIB* 113-115 DAY MATURITY

- Consistent multi-year performance
- Very good stalks and roots with respectable late-season intactness
- Strong emergence and early plant vigor
- Excellent test weight on a semi-flex ear
- Best on rotated acres - watch GLS

65D28 *DGVT2PRIB* 114-116 DAY MATURITY

- Very good drought tolerance
- Excellent greensnap tolerance
- Consistent multi-year performance
- Taller hybrid but exhibits strong stalks and roots
- Best on rotated acres

66R25 *VT2PRIB* 115-117 DAY MATURITY

- Excellent test weight with food grade corn potential
- Excellent stalks and roots
- Semi-flex ear with ability to work at moderate populations
- Very strong performance on all soil types and environments
- Very good drought tolerance with good disease package

PLANT CHARACTERISTICS

PLANT HARDINESS

DISEASE RESISTANCE

BRAND	TECH	MATURITY	GDUs Mid / Black Layer	Ear Height	Ear Type	Plant Height	Test Weight	Drought Tolerance	Population Tolerance	Stalk Rating	Stay Green	Gray Leaf Spot	Northern Leaf Blight (1)	Southern Leaf Blight	Stalk Anthracnose
54M24	VT2PRIB	103-105	1290 / 2516	M	SD	M	G	G	M-MH	G	G	AV	G	VG	G
55K22	VT2PRIB	104-106	1304 / 2569	M	SFL	M	G	VG	LM	G	VG	AV	G	N/A	E
56P78	<i>TreceptaRIB</i>	105-107	1301 / 2563	L	SFL	S	AV	G	M	G	VG	AV	G	N/A	AV
59A25	VT2PRIB	108-110	1286 / 2538	MH	SD	T	AV	AV	M-MH	VG	VG	AV	VG	VG	G
60D24	VT2PRIB	109-111	1368 / 2695	M	SD	M	VG	G	M-MH	VG	G	VG	AV	VG	AV
62A28	VT2PRIB	112-114	1385 / 2756	M	SD	MT	VG	G	M-MH	G	G	G	VG	VG	G
NEW! 62V29	VT2PRIB	111-113	1375 / 2709	M	SFL	M	G	G	LM	VG	VG	AV	VG	VG	VG
63H27	VT2PRIB	112-114	1403 / 2792	M	SD	MT	VG	G	MH	VG	VG	G	VG	VG	AV
63M73	<i>TreceptaRIB</i>	112-114	1393 / 2772	MH	SD	MT	VG	G	M-MH	G	AV	G	VG	VG	G
63P75	<i>TreceptaRIB</i>	111-113	1369 / 2724	MH	SFL	M	G	G	M	VG	AV	AV	G	G	G
64B28	VT2PRIB	113-115	1331 / 2649	M	SFL	M	E	G	M-MH	VG	AV	G	VG	VG	AV
65D28	<i>DGVT2PRIB</i>	114-116	1321 / 2629	M	SD	MT	G	VG	M-MH	VG	G	VG	E	G	G
65H25	VT2PRIB	114-116	1294 / 2575	M	SFL	M	E	VG	MH	VG	G	VG	E	E	VG
65T29	VT2PRIB	114-116	1350 / 2860	MH	FL	MT	E	E	G	VG	VG	G	VG	N/A	N/A
66R25	VT2PRIB	115-117	1424 / 2834	MH	SFL	MT	E	VG	M-MH	E	E	VG	E	VG	VG
66T27	VT2PRIB	115-117	1380 / 2870	MH	SFL	M	G	VG	MH-H	E	G	G	VG	N/A	N/A
66W17	RR2	115-117	1308 / 2603	M	SD	M	F	VG	M-MH	VG	G	AV	N/A	VG	G
67A23	VT2PRIB	116-118	1390 / 2870	MH	FL	MT	E	VG	VG	E	VG	VG	VG	N/A	N/A
67Q17	3111	116-118	N/A	M	SF	MT	MH	N/A	M-MH	G	G	G	G	G	N/A
68K80	3110	117-119	1400 / 2890	M	SFL	MT	G	G	MH-H	G	VG	VG	F	N/A	N/A
NEW! 69H29	VT2PRIB	118-120	1322 / 2631	M	SFL	M	G	VG	M	VG	G	F	N/A	VG	VG

RATING SCALE: E = Excellent, VG = Very Good, G = Good, AV = Average, F = Fair, R = Resistance, N/A = Not Available
EAR HEIGHT: Medium = M, Medium-High = MH, Low = L
EAR TYPE: Semi-Flex = SFL, Semi-Determinate = SD, Semi-Fixed = SF, Flex = FL
PLANT HEIGHT: Medium-Tall = MT, Medium = M, Tall = T, Short = S

TEST WEIGHT: Medium-High = MH
POPULATION TOLERANCE: Medium-High - High = MH-H, Medium - Medium-High = M-MH, Medium-High = MH, Medium = M, Low-Medium = LM
 3110 = Agrisure Viptera® 3110, 3111 = Agrisure Viptera® 3111, **DGVT2PRIB** = DroughtGard® Hybrids with VT Double PRO® RIB Complete® Corn Blend,
 RR2 = Roundup Ready® Corn 2, **VT2PRIB** = VT Double PRO® RIB Complete® Corn Blend, **TreceptaRIB** = Trecepta® RIB Complete® Corn Blend

SOYBEAN LEADER BRANDS

3911XF *XF* 3.9 DAY MATURITY

- Well-adapted to Delmarva
- Medium-bush bush plant with excellent emergence
- Medium-tall plant with good standability
- Race 3 Cyst with Stem Canker resistance

4302XFS *XF/SR* 4.3 DAY MATURITY

- Strong SDS resistance on this robust plant type **NEW!**
- Excellent emergence and early season growth
- Well-adapted to no-till and narrow rows
- Medium-bush plant with robust growth

4641XFS *XF/SR* 4.6 DAY MATURITY

- XtendFlex® stacked with SR
- Attractive plant with broad adaptation
- Stem Canker resistant with salt excluder
- Best positioned on heavier soils
- Tall plant with good standability

4702XFS *XF/SR* 4.7 DAY MATURITY

- Late Group IV XtendFlex® stacked with SR **NEW!**
- Strong Frogeye and SDS scores
- Medium-bush – light, tawny-tan plant
- Well-adapted to no-till and narrow rows

5332XF *XF* 5.3 DAY MATURITY

- Medium-bush plant with tawny brown pods **NEW!**
- SDS and RKN resistant
- Determinate plant type with very good standability
- Excellent emergence and no-till adaptability

5622XFS *XF/SR* 5.5 DAY MATURITY

- Strong data from coastal plain **NEW!**
- XtendFlex® stacked with SR
- Medium-bush plant with very good standability
- Indeterminate plant type

5921XFS *XF/SR* 5.9 DAY MATURITY

- Tall, medium-bush plant well-adapted to Carolinas
- Resistant to Stem Canker and Cyst Nematode
- Attractive tawny-tan with salt excluder
- XtendFlex® stacked with SR
- Indeterminate best suited for late planting

6920XF *XF* 6.9 DAY MATURITY

- Tawny brown bush plant with very good standability
- Root Knot and Stem Canker resistant
- Widely adapted to coastal southeast

PLANT CHARACTERISTICS

DISEASE RESISTANCE

	BRAND	TECH	MATURITY	Plant Type	Growth Habit*	Pod	Pubescence	Relative Plant Height	Standability	Phytophthora Gene	Cyst*	Root Knot*	Sudden Death Syndrome	Frogeye	Stem Canker*	Chloride Sensitivity*
	3818NRX	RR2X	3.8	B	Indeterminate	T	GR	MT	VG	NG, 1.9 TOL	R	S	VG	G	R	IN
	3911XF	XF	3.9	M	Indeterminate	BR	GR	MT	G	Rps 1c	R	S	N/A	N/A	R	IN
NEW!	3922E	E3	3.9	I	Indeterminate	T	LTW	M+	E	Rps 1k	R R3, R14	S	AV	G	R	IN
	4301E	E3	4.3	I	Indeterminate	BR	LTW	M+	VG	No Gene	R R3, R14	S	VG	E	R	IN
NEW!	4302XFS	XF/SR	4.3	IB	Indeterminate	BR	GR	MT	VG	Rsp1c	R	S	VG	G	R	IN
	4320NRXS	RR2X	4.3	MB	Indeterminate	BR	LTW	MT	VG	Rps 1c, 6.0 MT	R	S	VG	VG	R	EX
	4501NRX	RR2X	4.5	M	Indeterminate	BR	LTW	T	VG	Rps1c	R	S	VG	N/A	R	EX
	4641XFS	XF/SR	4.6	MB	Indeterminate	BR	LTW	T	G	Rps 1c	R	S	G	N/A	R	EX
	4701ES	E3	4.7	I	Indeterminate	BR	GR	MT	G	No Gene	R	S	G	VG	R	IN
NEW!	4702XFS	XF/SR	4.7	IB	Indeterminate	T	LTW	M	VG	Rps1c	R	S	VG	VG	R	IN
	4730NRXS	RR2X	4.7	MB	Indeterminate	BR	GR	MT	VG	HRps 1c, 5.0 MS	R	S	VG	G	R	EX
	4811XFS	XF/SR	4.8	M	Indeterminate	BR	LTW	MT	VG	Rps 1a	R	S	F	N/A	R	IN
NEW!	5002XF	XF	5.0	I	Indeterminate	T	LTW	M	AV	Rps1a	R, MR-MS, Race 2	S	G	N/A	MR-MS	N/A
	5016NRXS	RR2X	5.0	THI*	Indeterminate	BR	LTW	T	VG	Rps 1a, 1.7 TOL	R	MR	VG	G	R	IN
	5219E	E3	5.1	MB	Indeterminate	BR	GR	M	AV*	N	R	S	VG	VG	R	IN
	5319NRX	RR2X	5.3	THI*	Indeterminate	T	LTW	M	E	Rps 1a, 1.8 TOL	R	MR-MS	VG	VG	R	IN
NEW!	5332XF	XF	5.3	D	Determinate	BR	TW	MT	VG	Rps 1Hc	MR-MS	R	VG	N/A	MR-MS	EX
NEW!	5412E	E3	5.4	N/A	Indeterminate	T	GR	MT	G	N/A	Race 14	S	N/A	N/A	R	EX
NEW!	5422XF	XF	5.4	IB	Determinate	BR	TW	MT	VG	Rsp1c	R	R	VG	N/A	R	EX
	5519NRX	RR2X	5.5	MB*	Determinate	T	TW	T	G	NG, 1.4 TOL	R	R	E	E	MR	EX
NEW!	5622XFS	XF/SR	5.5	IB	Indeterminate	T	TW	T	VG	Rps1c	S	R	G	N/A	R	MI
	5811NRX	RR2X	5.8	B	Determinate	BR	TW	MT	VG	Rps1c	S	R	VG	F	R	IN
	5921XFS	XF/SR	5.9	B	Indeterminate	T	TW	N/A	N/A	Susceptible	R	MR	N/A	N/A	R	N/A
	6219RX	RR2X	6.2	THI	Determinate	T	TW	M	E	Rps 1a, 1.5 TOL	S	R	N/A	VG	R	EX
	6920XF	XF	6.9	B	Determinate	BR	TW	M	VG	Rps1c	S	R	N/A	F	R	IN

RATING SCALE: E = Excellent, VG = Very Good, G = Good, AV = Average, F = Fair, R = Resistance, N/A = Not Available

PLANT TYPE: I = Intermediate, IB = Intermediate-Bush, B = Bush, M = Medium, MB = Medium-Bush, MT = Medium-Tall, THI = Thin-Intermediate, D = Determinate

POD: T = Tan, BR = Brown

PUBESCENCE: LTW = Light Tawny, TW = Tawny, GR = Gray


RELATIVE PLANT HEIGHT: M = Medium, M+ = Medium+, MT = Medium-Tall, T = Tall

CYST/ROOT KNOT/STEM CANKER: MR = Moderate Resistance, S = Susceptible, R = Resistant, NG = No Gene, MS = Moderate Susceptible

CHLORIDE SENSITIVITY: IN = Includer, EX = Excluder, MI = Mixed

RR2X = Roundup Ready 2 Xtend® Soybeans, E3 = Enlist E3® Soybeans, XF / XF/SR = XtendFlex® Soybeans

* = Based on Local Observation

 Before opening a bag of seed, be sure to read, understand and accept the stewardship requirements, including applicable refuge requirements for insect resistance management, for the biotechnology traits expressed in the seed as set forth in the Technology/Stewardship Agreement that you sign. By opening and using a bag of seed, you are reaffirming your obligation and agreement to comply with the most recent stewardship requirements.

Bayer is a member of Excellence Through Stewardship® (ETS). Bayer products are commercialized in accordance with ETS Product Launch Stewardship Guidance, and in compliance with Bayer's Policy for Commercialization of Biotechnology-Derived Plant Products in Commodity Crops. Commercialized products have been approved for import into key export markets with functioning regulatory systems. Any crop or material produced from this product can only be exported to, or used, processed or sold in countries where all necessary regulatory approvals have been granted. It is a violation of national and international law to move material containing biotech traits across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. It is a violation of federal and state law to use any pesticide product other than in accordance with its labeling. NOT ALL formulations of dicamba or glyphosate are approved for in-crop use with Roundup Ready 2 Xtend® soybeans. NOT ALL formulations of dicamba, glyphosate or glufosinate are approved for in-crop use with products with XtendFlex® Technology. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USES AND APPROVED FOR SUCH USE IN THE STATE OF APPLICATION. Contact the U.S. EPA and your state pesticide regulatory agency with any questions about the approval status of dicamba herbicide products for in-crop use with Roundup Ready 2 Xtend® soybeans or products with XtendFlex® Technology.

B.I. products may not yet be registered in all states. Check with your seed brand representative for the registration status in your state.

DroughtGard® Hybrids with RIB Complete® corn blend the refuge seed may not always contain DroughtGard® Hybrids trait.

IMPORTANT IRM INFORMATION: RIB Complete® corn blend products do not require the planting of a structured refuge **except** in the Cotton-Growing Area where corn earworm is a significant pest. **See the IRM/Grower Guide for additional information. Always read and follow IRM requirements.**

Roundup Ready® 2 Technology contains genes that confer tolerance to glyphosate. Roundup Ready 2 Xtend® soybeans contain genes that confer tolerance to glyphosate and dicamba. Products with XtendFlex® Technology contains genes that confer tolerance to glyphosate, glufosinate and dicamba. Glyphosate will kill crops that are not tolerant to glyphosate. Dicamba will kill crops that are not tolerant to dicamba. Glufosinate will kill crops that are not tolerant to glufosinate. Contact your seed brand dealer or refer to the Bayer Technology Use Guide for recommended weed control programs.



Insect control technology provided by Vip3A is utilized under license from Syngenta Crop Protection AG. Herculex® is a registered trademark of Dow AgroSciences LLC. Agrisure Viptera®




is a registered trademark of a Syngenta group company. LibertyLink® and the Water Droplet Design® is a trademark of BASF Corporation. Respect the Refuge and Corn Design® and Respect the Refuge® are registered trademarks of National Corn Growers Association. DroughtGard®, RIB Complete®, Roundup Ready 2 Technology and Design™, Roundup Ready 2 Xtend®, Roundup Ready 2 Yield®, Roundup Ready®, SmartStax®, Trecepta®, VT Double PRO® and XtendFlex® are trademarks of Bayer Group.

Performance may vary from location to location and from year to year, as local growing, soil and weather conditions may vary. Growers should evaluate data from multiple locations and years whenever possible and should consider the impacts of these conditions on the grower's fields.

Agrisure Viptera® is a registered trademark of a Syngenta Group Company.




LIBERTY LINK Seed products with the LibertyLink® (LL) trait are resistant to the herbicide glufosinate ammonium, an alternative to glyphosate in corn, and combine high-yielding genetics with the powerful, non-selective,

CORN TRAITS

3110	 Agrisure Viptera® 3110	Agrisure Viptera® 3110
3111	 Agrisure Viptera® 3111	Agrisure Viptera® 3111
DGVT2PRIB	 DroughtGard® Hybrids with VT Double PRO® RIB Complete® Corn Blend	DroughtGard® Hybrids with VT Double PRO® RIB Complete® Corn Blend

RR2	 Roundup Ready® Corn 2	Roundup Ready® Corn 2
VT2PRIB	 VT Double PRO® RIB Complete® Corn Blend	VT Double PRO® RIB Complete® Corn Blend
TreceptaRIB	 Trecepta® RIB Complete® Corn Blend	Trecepta® RIB Complete® Corn Blend

SOYBEAN TRAITS

RR2X	 Roundup Ready 2 Xtend® Soybeans	Roundup Ready 2 Xtend® Soybeans
E3	 Enlist E3® Soybeans	Enlist E3® Soybeans
XF / XF/SR	 XtendFlex® Soybeans	XtendFlex® Soybeans

postemergent weed control of Liberty® herbicide for optimum yield and excellent weed control. LibertyLink®, Liberty® and the Water Droplet logo are registered trademarks of BASF.

Seeds containing the Enlist, Herculex and PowerCore traits are protected under numerous US patents. Seeds containing patented traits can only be used to plant a single commercial crop and cannot be saved or replanted. You acknowledge and agree to be bound by the terms and conditions of the following documents in effect at the time of planting of this seed: (i) the Technology Use Agreement and (ii) the Product Use Guides for all technologies in this seed, including the Herbicide Resistance Management (HRM), and Use requirements detailed therein (www.corteva.us/Resources/trait-stewardship.html). To plant Enlist, Herculex and PowerCore seed, you must have a limited license from Corteva Agriscience (or other appropriate affiliates). In consideration of the foregoing, Corteva Agriscience grants to the Grower the limited license to use its technology to produce only a single commercial crop in the United States under the terms and conditions set forth in the Technology Use Agreement in effect at the time of planting of this seed. Always read and follow herbicide label directions prior to use: Enlist® products contain the Enlist trait that provides crop safety for use of labeled over-the-top applications of glyphosate, glufosinate and 2,4-D herbicides featuring Colex-D® technology when applied according to label directions. Following burndown, the only 2,4-D containing herbicide products that may be used with Enlist® crops are products that feature Colex-D technology and are expressly labeled for use on Enlist crops. 2,4-D products that do not contain Colex-D technology are not authorized for use in conjunction with Enlist products. Enlist corn contains genes that confer tolerance to 2,4-D and -fop herbicides. 2,4-D and -fop herbicides will damage or kill crops that are not tolerant to 2,4-D or -fops.

Enlist E3® soybean seeds containing the Enlist® trait can only be used to plant a single commercial crop. It is unlawful to save and replant Enlist E3® soybeans. Additional information and limitations on the use of these products are provided in the Corteva Agriscience Technology Use Agreement and Enlist® Soybean Product Use Guide. U.S. patents for Dow AgroSciences technologies can be found at the following webpage: www.corteva.us/Resources/trait-stewardship.html.

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS product launch stewardship guidance and Corteva Agriscience Product Launch Stewardship Policy. No crop or material produced from this product can be exported to, used, processed or sold across boundaries into nations where import is not permitted. Growers should talk to their grain handler or product purchaser to confirm their buying position for this product. For further information about your crop or grain marketing options, contact DAS at 877-4-TRAITS (877-487-2487). Information regarding the regulatory and market status of agricultural biotechnology products can be found at: www.biotechstatus.com.

The transgenic soybeans event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies, L.L.C.™ Enlist, Enlist E3, the Enlist E3 logo, and Colex-D are trademarks of Corteva Agriscience. Excellence Through Stewardship is a registered trademark of Excellence Through Stewardship.

Trademarks of Dow AgroSciences or DuPont, and their affiliated companies or their respective owners. Enlist E3 soybeans were jointly developed by Dow AgroSciences and M.S. Technologies, L.L.C.

The Enlist™ System - Get Control of Tough Weeds



- New 2,4-D Choline
- Glyphosate
- Glufosinate

Following burndown, Enlist Duo® and Enlist One® with Colex-D® technology are the only herbicides containing 2,4-D that are labeled for preemergence and postemergence use with Enlist E3™ soybeans.



- Convenient blend of 2,4-D choline and glyphosate
- Two modes of action to deliver control and help prevent resistance in your fields



- Straight-goods 2,4-D choline with additional tank-mix flexibility
- Ability to tank-mix with Liberty® herbicide and other qualified herbicides, customizing the ratio of herbicides to match each farm's needs

On-Target Applications

- 90% less drift than traditional 2,4-D
- 96% less volatile than 2,4-D ester

YIELD YOU WANT.

CHOICE YOU NEED.



PROVEN PERFORMANCE. NOW BACKED BY TRIPLE TOLERANCE.



A RESTRICTED USE PESTICIDE

Welcome to more flexible weed control from the Roundup Ready® Xtend Crop System. See how it works at XtendFlexSoy.com.

NOTICE: DO NOT APPLY ANY HERBICIDE TO SEED IN THE ROUNDUP READY® XTEND CROP SYSTEM UNLESS IT HAS A PRODUCT LABEL SPECIFICALLY AUTHORIZING THAT USE. TO USE A HERBICIDE IN ANY MANNER INCONSISTENT WITH ITS LABELING IS A VIOLATION OF FEDERAL LAW. REFER TO THE BAYER TECHNOLOGY USE GUIDE FOR DETAILS AND RECOMMENDATIONS ON USING APPROVED ROUNDUP® AND LIBERTY® BRANDED HERBICIDES ON SEED IN THE ROUNDUP READY® XTEND CROP SYSTEM.

XtendiMax® herbicide with VaporGrip® Technology is part of the Roundup Ready® Xtend Crop System, is a restricted use pesticide and must be used with VaporGrip® Xtra Agent (or an equivalent vapor reducing agent). For approved tank-mix products (including VRAs and DRAs), nozzles and other important label information visit XtendiMaxApplicationRequirements.com

ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. XtendiMax® herbicide with VaporGrip® Technology is a restricted use pesticide. Not all products are registered in all states and may be subject to use restrictions. The distribution, sale, or use of an unregistered pesticide is a violation of federal and/or state law and is strictly prohibited. Check with your local dealer or representative for the product registration status in your state. Roundup Ready® and VaporGrip® are registered trademarks of Bayer Group. ©2020 Bayer Group. All rights reserved. For additional product information call toll-free 1-866-99-BAYER (1-866-992-2937) or visit our website at www.BayerCropScience.us. Bayer CropScience LP, 800 North Lindbergh Boulevard, St. Louis, MO 63167. ©2020 Bayer Group. All rights reserved.

ALWAYS READ AND FOLLOW GRAIN MARKETING AND ALL OTHER STEWARDSHIP PRACTICES AND PESTICIDE LABEL DIRECTIONS. See the Products Use Notice for "Yield You Want" advertisement for XtendFlex® printed in this publication. All trademarks are the property of their respective owners. ©2020 Bayer Group. All rights reserved.





TIDEWATER SEED

29000 Information Lane, Suite 302
Easton, MD 21601

410.443.0840

TidewaterSeed.com



TidewaterSeed.com

NATIONAL BRAND. LOCAL OWNERSHIP.

Grow Strong

More Local Data Than Any Other Brand