



Grow Strong™

Cooperator: C&C Farms/Colson
 City, State: Cheriton, Va
 County: Northhampton

Row Width: 30

Planted date: 4/28/2021
 Harvested date: 9/28/2021
 Planting Rate: 29000
 Drainage: Well drained
 Tillage: Conventional
 Soil Texture: Sandy Loam
 Soil Name: Munden

Irrigation: Irrigated
 Prev. Crop: Green Beans
 Fungicide: No
 Planter Model: Monosem
 Pl. Meter Units: Brush
 Harvest Scale: Weigh Wagon

No cloud-based software used to calculate results. SCALE WEIGHED - SCALE PROVEN

Plot Entry Order	BRAND	HYBRID	TRAIT Package	RM	Moisture Average 3 Samples	Relative Yield	DRY YIELD @ 15.5%	\$ Income per Acre
1	AXIS	62A28	VT2P	112	16.1	101%	206.4	\$1,164
2	AXIS	62V29	VT2P	112	15.8	90%	184.5	\$1,046
3	AXIS	63H27	VT2P	113	15.9	100%	203.6	\$1,152
4	AXIS	63M73	Trecepta	113	15.2	109%	221.7	\$1,270
5	AXIS	63P75	Trecepta	113	15.1	100%	203.8	\$1,170
6	AXIS	XP114B21	VT2P	114	15.1	95%	194.4	\$1,116
7	AXIS	64B28	VT2P	114	15.1	100%	204.3	\$1,173
8	AXIS	XP114T21	HAW	114	16.9	110%	224.4	\$1,248
9	AXIS	XP115BA21	VT2P	115	14.7	96%	196.7	\$1,131
10	AXIS	XP115BB21	VT2P	115	15.7	112%	228.0	\$1,295
11	AXIS	65D28	DGVT2P	115	15.8	94%	191.2	\$1,084
12	AXIS	XP115BC21	Trecepta	115	16.5	96%	196.9	\$1,103
13	AXIS	XP115T21	VT2P	115	15.1	102%	207.6	\$1,192
14	AXIS	66R25	VT2P	116	16.3	95%	193.4	\$1,087
TEST AVERAGE:					15.7	100%	204.1	\$1,159

The \$/A column is gross dollars per acre of each entry, based on wet corn at \$5.75 per bushel and using \$0.1 per point discount for harvest moisture over 15.0%.
 Conv = Conventional non GMO, RR2 = Roundup Ready Corn 2, SS = Smartstax or Smartstax RIB Complete Corn Blend, TRE = Trecepta or Trecepta Complete Corn Blend, VT2P = VT Double Pro or VT Double Pro Complete Corn Blend, DG/VT2P = Droughtgard with VT2P or Droughtgard with VT2P RIB Complete Blend, AM = AcreMax, AM1 = AcreMax 1, AMX = AcreMax Extra, AMXT = AcreMax Extreme, AML = AcreMax Leptra, 3120EZ = Agrisure 3120, 3220 EZ = Agrisure Viptera, 3330EZ = Agrisure Viptera, 5222EZ Agrisure Duracade